



3

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): Forrest C.M. Pape Docket: P-9682.00
Serial No.: 09/996,138 Group Art: Unknown
Filed: November 28, 2001 Examiner: Unknown
Title: IMPLANTABLE MEDICAL DEVICE FOR MEASURING
MECHANICAL HEART FUNCTION

**COPY OF PAPERS
ORIGINALLY FILED**

Honorable Commissioner
For Patents and Trademarks
Washington, D.C. 20231

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

Sir:

In response to the Notice to File Corrected Application papers mailed December 17, 2001 applicants respectfully enclose substitute drawings in accordance with 37 CFR 1.84 for examination.

The Notice cited 37 CFR 1.84 because the drawing sheets originally submitted did not have the correct margins. This has been corrected, and the substitute drawing sheets are enclosed, along with a copy of the Notice.

Respectfully submitted,

Pape et al.
By his attorneys,

1/28/02
Date

Beth L McMahon
Atty: Beth L. McMahon
Reg. No.: 41,987
MEDTRONIC, INC.
7000 Central Avenue N.E.
Minneapolis, Minnesota 55432
(763) 514-3066

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
AMENDMENT TRANSMITTAL

In re Application of: Forrest C.M. Pape et al.
 For: IMPLANTABLE MEDICAL DEVICE FOR MEASURING MECHANICAL HEART FUNCTION
 Serial No.: 09/996,138
 Filed: November 28, 2001



CERTIFICATE UNDER 37 CFR §1.8 I hereby certify that this **Response and Transmittal** and the paper(s), as described herein are being deposited with the United States Postal Service, in an envelope addressed to: Commissioner for Patents, Washington, D.C. 20231, on this 28th day of January, 2002.

Molly Chlebeck
 Signature
 Molly Chlebeck
 Printed Name

Commissioner for Patents
 Washington, D.C. 20231

**COPY OF PAPERS
 ORIGINALLY FILED**

Sir:

We are transmitting herewith the attached:

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS
 NOTICE TO FILE CORRECTED APPLICATION PAPERS
 SUBSTITUTE DRAWINGS
 Return Postcard

FEE CALCULATION:

FEE CALCULATION	No. of Claims Filed	No. of Claims Previously paid for	No. of Extra Claims	Rate	Fee
Total Claims				x 18	
Independent Claims				x 80	
Multiple Dependent Claims				+ 270	
TOTAL					

☐ Applicant hereby petitions for _____ months' extension of time. If an additional extension of time is required, please consider this petition therefor.

☐ Please charge Deposit Account No. 13-2546 \$ _____ for extension of time and \$ _____ For _____ for a
TOTAL OF \$.00


☒ Please charge any additional fees or credits to Deposit Account No. 13-2546 which may have been overlooked on this Amendment Transmittal with regard to this filing. A duplicate of this transmittal is enclosed.

☒ Applicant believes that no extension of time is required. However, if an extension of time is required, please consider this a petition therefor to provide for the possibility that applicant has inadvertently overlooked the need for an extension of time.

Date

1/28/02

Beth L. McMahon
 Beth L. McMahon, Reg. No. 41,987
 MEDTRONIC, INC.
 710 Medtronic Parkway NE
 Minneapolis, Minnesota 55432-5604
 Telephone: (763) 514-3066



FEB 19 2002

UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/996,138	11/28/2001	Forrest C.M. Pape	P-9682.00

CONFIRMATION NO. 3071

FORMALITIES LETTER



OC00000007202633

Beth L. McMahon
Medtronic, Inc.,
MS 301, Mailstop LC340
710 Medtronic Parkway
Minneapolis, MN 55432

Date Mailed: 12/17/2001

**COPY OF PAPERS
ORIGINALLY FILED**

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

uct
Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE